

# LIGHTING CATALOG


## 2024




**ZONN**<sup>®</sup>  
L I G H T I N G

BEST LIGHTING SOLUTIONS

Find Us On:

 ZONN Lighting

 zonnlighting

Elegance

High Quality

Unique Design

DOWN LIGHT  
DW-COB SERIES



BEST LIGHTING  
SOLUTIONS



Model No.	Watts	Size-Hole Size	Lamp Beads	Lumen	Color Tem	Voltage	Power Factor	Q.T.Y
DW-COB-7 W	7W	φ90 - φ75(mm)	COB	>80lm/W	3000K - 4000K - 6500K	AC 85-265V	0.5 -0.9	100Pcs
DW-COB-10 W	10W	φ130 - φ100(mm)	COB	>80lm/W	3000K - 4000K - 6500K	AC 85-265V	0.5 -0.9	40Pcs
DW-COB-20 W	20W	φ160 - φ140(mm)	COB	>80lm/W	3000K - 4000K - 6500K	AC 85-265V	0.5 -0.9	30Pcs
DW-COB-30 W	30W	φ225 - φ200(mm)	COB	>80lm/W	3000K - 4000K - 6500K	AC 85-265V	0.5 -0.9	10Pcs
DW-COB-60 W	60W	φ225 - φ200(mm)	COB	>80lm/W	3000K - 4000K - 6500K	AC 85-265V	0.5 -0.9	10Pcs

**3** YEARS  
WARRANTY

DOWN LIGHT  
YC-SMD SERIES



BEST LIGHTING  
SOLUTIONS



Model No.	Watts	Size-Hole Size	Lamp Beads	Lumen	Color Tem	Voltage	Power Factor	Q.TY
YC1001-8 W	8W	φ100 - φ75(mm)	SMD	>85lm/W	3000K - 4000K - 6500K	AC 85-265V	0.5 -0.9	50Pcs
YC1001-12 W	12W	φ120 - φ100(mm)	SMD	>85lm/W	3000K - 4000K - 6500K	AC 85-265V	0.5 -0.9	40Pcs
YC1001-18 W	18W	φ145 - φ120(mm)	SMD	>85lm/W	3000K - 4000K - 6500K	AC 85-265V	0.5 -0.9	40Pcs
YC1001-24 W	24W	φ180- φ150(mm)	SMD	>85lm/W	3000K - 4000K - 6500K	AC 85-265V	0.5 -0.9	30Pcs
YC1001-36 W	36W	φ220 - φ190(mm)	SMD	>85lm/W	3000K - 4000K - 6500K	AC 85-265V	0.5 -0.9	20Pcs


**3** YEARS  
WARRANTY



DOWNLIGHT ADJUSTABLE  
FRAMELESS

**ZONN**<sup>®</sup>  
LIGHTING

BEST LIGHTING  
SOLUTIONS



**ADJUSTABLE**



Fit cut-out from 55-205mm

Model No.	Watts	Size	Hole Size	Lumen	Color Tem	Voltage	Power Factor	Matreial
AF002-10W	10W	90*90*20(mm)	55-75 mm	900 lm	3000K-4000K-8000K	AC 85-265V	0.5	Aluminum
AF002-18W	18W	120*120*20(mm)	75-105 mm	1800 lm	3000K-4000K-8000K	AC 85-265V	0.5	Aluminum
AF002-24W	24W	175*175*20(mm)	75-155 mm	2400 lm	3000K-4000K-8000K	AC 85-265V	0.5	Aluminum
AF002-36W	36W	225*225*20(mm)	75-205 mm	3600 lm	3000K-4000K-8000K	AC 85-265V	0.5	Aluminum

**3** YEARS  
WARRANTY



IECEE CB EER/EEL



SPOT DOWNLIGHT



BEST LIGHTING SOLUTIONS



Model No.	Watts	Size-Hole Size	Ra	Lumen	Color Tem	Voltage	Power Factor	Matreial
SM001-36W	18+18W	212*212*41(mm)	80	2880 lm	6000K + 4000K	100-240V	0.5	Aluminum
SM004-36W	36W	225*225*46(mm)	80	3600 lm	8000K	100-240V	0.5	Aluminum

**3** YEARS WARRANTY

STREET LIGHT  
STR-SMD-SERIES



BEST LIGHTING  
SOLUTIONS



Model No.	Watts	Size -Hole Size	Lamp Beads	Lumen	Color Tem	Voltage	Power Factor	Q.T.Y
STR-SMD-100W	100W	520*315*80(mm)	SMD	>120lm/W	3000K - 4000K - 5700K	AC 100-277V	>0.9	1Pcs
STR-SMD-150W	150W	600*315*80(mm)	SMD	>120lm/W	3000K - 4000K - 5700K	AC 100-277V	>0.9	1Pcs
STR-SMD-200W	200W	680*315*80(mm)	SMD	>120lm/W	3000K - 4000K - 5700K	AC 100-277V	>0.9	1Pcs
STR-SMD- 250W	250W	760*315*80(mm)	SMD	>120lm/W	3000K - 4000K - 5700K	AC 100-277V	>0.9	1Pcs
STR-SMD-300W	300W	840*315*80(mm)	SMD	>120lm/W	3000K - 4000K - 5700K	AC 100-277V	>0.9	1Pcs

**3 YEARS  
WARRANTY**



IECEE CE CB EER/EEL



STRIP LIGHT



BEST LIGHTING SOLUTIONS



Model No.	Watts	Lamp Beads	Lumen	Color Tem	Voltage	IP	Cartoon
ST-W 2835-180LED 11MM	9-10W/M	SMD 20CM CUT UNIT	100-110 LM/W	3000K - 4000K	110-260V	IP65	100M/ROLL
ST-2835-240LED 12MM	9-10W/M	SMD 1M CUT UNIT	90-100 LM/W	3000K - 4000K	110-260V	IP65	100M/ROLL
ST-COB-288LED 8MM	8-9W/M	COB 50CM CUT UNIT	100-110 LM/W	3000K - 4000K	110-260V	IP65	50M/ROLL
ST-COB-240LED 8MM WITH STICKER	8-9W/M	COB 10CM CUT UNIT	100-110 LM/W	3000K - 4000K	110-260V	IP65	50M/ROLL
ST-SMD-120LED 8MM WITH STICKER	8-9W/M	SMD 5CM CUT UNIT	90-100 LM/W	3000K - 4000K	220/DOB	IP65	50M/ROLL
ST-SMD-240LED 11MM WITH STICKER	12-13W/M	SMD 5CM CUT UNIT	90-100 LM/W	3000K - 4000K	220/DOB	IP65	50M/ROLL
ST-COB-320LED-24V	10.5-11.5W/M	COB 5CM CUT UNIT	90-100 LM/W	3000K - 4000K	24V	IP65	10M/ROLL
ST-COB-120LED-24VR	8-9W/M	SMD 5CM CUT UNIT	90-100 LM/W	3000K - 4000K	24V	IP65	10M/ROLL
ST-COB-180LED-24V	14-15W/M	SMD 5CM CUT UNIT	90-100 LM/W	3000K - 4000K	24V	IP65	10M/ROLL


**3 YEARS WARRANTY**

POWER SUPPLY  
RL - 24V



**ZONN**<sup>®</sup>  
LIGHTING

BEST LIGHTING  
SOLUTIONS



CB FC CE **RoHS**

Model No.	Power	Size-Hole Size	Output Voltage	Output Current	IP
RL-24V-36W	36W	113*50*250(mm)	24 V	1.50 A	IP 20
RL-24V-60W	60W	115*50*250(mm)	24 V	2.50 A	IP 20
RL-24V-100W	100W	140*50*250(mm)	24 V	4.16 A	IP 20
RL-24V-150W	150W	180*50*24(mm)	24 V	6.25 A	IP 20
RL-24V-200W	200W	180*50*250(mm)	24 V	8.33 A	IP 20
RL-24V-300W	300W	221*60*290(mm)	24 V	12.5 A	IP 20
RL-24V-400W	400W	226*60*290(mm)	24 V	16.6 A	IP 20

**3** YEARS  
WARRANTY



IECEE CE CB EER/EEL





ULTRA MAGNATIC  
LIGHT



BEST LIGHTING  
SOLUTIONS



Model No.	Watts	Color Tem	Type of Led	CRI	Power
MS30-TL7	6W	3000K-4000K	Bridgelux 2835	CRI > 90	DC48V
MS30-TL12	12W	3000K-4000K	Bridgelux 2835	CRI > 90	DC48V
MS30-DR54	6W	3000K-4000K	Bridgelux 2835	CRI > 90	DC48V
MS30-DS54	6W	3000K-4000K	Bridgelux 2835	CRI > 90	DC48V
MS30-SP1	6W	3000K-4000K	Bridgelux 2835	CRI > 90	DC48V
MS30-SA1	4W	3000K-4000K	Bridgelux 2835	CRI > 90	DC48V
UMS30-HC7W	7W	3000K-4000K	Bridgelux 2835	CRI > 90	DC48V
MS30-FT1000	10W	3000K-4000K	Bridgelux 2835	CRI > 90	DC48V

Model No.	Watts	Color Tem	Type of Led	CRI	Power
MS30-DF300	12W	3000K-4000K	Bridgelux 2835	CRI > 90	DC48V
MS30-DF600	24W	3000K-4000K	Bridgelux 2835	CRI > 90	DC48V
MS30-DF900	36W	3000K-4000K	Bridgelux 2835	CRI > 90	DC48V
MS30-LB24	10W	3000K-4000K	Bridgelux 2835	CRI > 90	DC48V
MS30-LB48	48W	3000K-4000K	Bridgelux 2835	CRI > 90	DC48V
MS30-FD5	10W	3000K-4000K	Bridgelux 2835	CRI > 90	DC48V
MS30-FD10	20W	3000K-4000K	Bridgelux 2835	CRI > 90	DC48V
MS30-FD10D	12W	3000K-4000K	Bridgelux 2835	CRI > 90	DC48V



**3** YEARS  
WARRANTY



IECEE CE CB EER/EEL






OUTDOOR LIGHTING

**ZONN**<sup>®</sup>  
LIGHTING


BEST LIGHTING  
SOLUTIONS




**ZN-202291/225**  
Size:  $\phi$  170\*225mm  
LED Chip: SANAN SMD  
Wattage: 18W  
CCT: 3000K/4000K/6000K



**ZN-202291/280 E27**  
Size:  $\phi$  170\*280mm  
LED Chip: E27



**ZN-W202291CB**  
Size: 170\*212\*340mm  
LED Chip: SANAN SMD  
Wattage: 18W  
CCT: 3000K/4000K/6000K



**ZN-W202291CB E27**  
Size: 170\*212\*340mm  
LED Chip: E27



**ZN-202291/300**  
Size:  $\phi$  170\*300mm  
LED Chip: SANAN SMD  
Wattage: 18W  
CCT: 3000K/4000K/6000K




**ZN-202291/350 E27**  
Size:  $\phi$  170\*350mm  
LED Chip: E27



**ZN-202291/1000HD**  
Size: 170\*276\*1000mm  
LED Chip: SANAN SMD  
Wattage: 18W  
CCT: 3000K/4000K/6000K

**ZN-202291/1000HD E27**  
Size: 170\*276\*1000mm  
LED Chip: E27




**3 YEARS  
WARRANTY**




OUTDOOR LIGHTING

**ZONN**<sup>®</sup>  
LIGHTING

BEST LIGHTING  
SOLUTIONS



**ZN-W2022126CB**  
Size:200\*250\*340mm  
LED Chip:Bridgelux COB  
Wattage:10W  
CCT:3000K/4000K/6000K




**ZN-W0483**  
**ZN-W0483SS(sensor)**  
Size:100\*110\*160mm  
LED Chip:SANAN SMD  
Wattage:12W  
CCT:3000K/4000K/6000K



**ZN-0483/600**  
**ZN-0483/600SS(sensor)**

Size:100\*110\*600mm  
LED Chip:SANAN SMD  
Wattage:12W  
CCT:3000K/4000K/6000K



**ZN-0483/800**  
**ZN-0483/800SS(sensor)**

Size:100\*110\*800mm  
LED Chip:SANAN SMD  
Wattage:12W  
CCT:3000K/4000K/6000K

**3** YEARS  
WARRANTY



IECEE CB EER/EEL





OUTDOOR LIGHTING

**ZONN**<sup>®</sup>  
LIGHTING

BEST LIGHTING  
SOLUTIONS




**ZN-W202292-1**

Size:115\*65\*250mm  
LED Chip:SANAN SMD+COB  
Wattage:2\*5W  
CCT:3000K/4000K/6000K



**ZN-W202292-2**

Size:190\*65\*250mm  
LED Chip:SANAN SMD+COB  
Wattage:3\*5W  
CCT:3000K/4000K/6000K



**ZN-202292/500**

**ZN-202292/750**

**ZN-202292/900**

Size:190\*H500/H750/H900mm  
LED Chip:SANAN SMD  
Wattage:2\*5W  
CCT:3000K/4000K/6000K



**3 YEARS  
WARRANTY**



IECEE CB EER/EEL





OUTDOOR LIGHTING

**ZONN**<sup>®</sup>  
LIGHTING

BEST LIGHTING  
SOLUTIONS



**ZN-W202237CB**

Size:260\*220\*340mm  
LED Chip:SANAN SMD  
Wattage:24W  
CCT:3000K/4000K/6000K

**ZN-W202237CB-S**


Size:220\*170\*190mm  
LED Chip:SANAN SMD  
Wattage:18W  
CCT:3000K/4000K/6000K

**ZN-W202237CB-E27**

Size:260\*220\*340mm  
LED Chip:E27

**ZN-W202237CB-E27-S**

Size:220\*170\*190mm  
LED Chip:E27



**ZN-202237/350**


Size:φ 220\*350mm  
LED Chip:SANAN SMD  
Wattage:24W  
CCT:3000K/4000K/6000K

**ZN-202237 E27/350**

Size:φ 220\*350mm  
LED Chip:E27

**ZN-202237/300-S ZN-202237 E27/300-S**

Size:φ 170\*300mm      Size:φ 170\*300mm  
LED Chip:SANAN SMD    LED Chip:E27  
Wattage:18W  
CCT:3000K/4000K/6000K



**ZN-202237/1000HD**

Size:φ 220\*1000M  
LED Chip:SANAN SMD  
Wattage:24W  
CCT:3000K/4000K/6000K

**ZN-202237 E27/1000HD**

Size:φ 220\*1000M  
LED Chip:E27

**ZN-202237/1000HD-S**

Size:φ φ 170\*1000M  
LED Chip:SANAN SMD  
Wattage:18W  
CCT:3000K/4000K/6000K

**ZN-202237/1500HD**

Size:φ 220\*1500M  
LED Chip:SANAN SMD  
Wattage:24W  
CCT:3000K/4000K/6000K

**ZN-202237 E27/1500HD**

Size:φ 220\*1500M  
LED Chip:E27

**ZN-202237 E27/1000HD-S**

Size:φ 170\*1000M  
LED Chip:E27



**3 YEARS  
WARRANTY**



IECEE CE CB EER/EEL





OUTDOOR LIGHTING

**ZONN**<sup>®</sup>  
LIGHTING

BEST LIGHTING  
SOLUTIONS




**ZN-202237/1320-DG-2**

Size:  $\phi$ 220\*1320MM  
LED Chip: SANAN SMD  
Wattage: 24W  
CCT: 3000K/4000K/6000K


**ZN-W202237E27/1320-DG**

Size: 220\*1320MM  
LED Chip: E27




**ZN-21015T-PC/300**

Size: 140\*140\*300MM  
LED Chip: SANAN SMD  
Wattage: 5W  
CCT: 3000K/4000K/6000K



**ZN-21015T-PC/600**

Size: 140\*140\*600MM  
LED Chip: SANAN SMD  
Wattage: 5W  
CCT: 3000K/4000K/6000K




**3 YEARS  
WARRANTY**



**ZN-W202267**  
Size:105\*70\*200MM  
LED Chip:SANAN SMD  
Wattage:18W  
CCT:3000K/4000K/6000K



**ZN-W202304-1**  
Size:240\*78\*125MM  
LED Chip:SANAN SMD  
Wattage:9W  
CCT:3000K/4000K/6000K




**ZN-W202304-2**  
Size:360\*78\*125MM  
LED Chip:SANAN SMD  
Wattage:2\*9W  
CCT:3000K/4000K/6000K

**3 YEARS  
WARRANTY**




**ZN-W0486-1**

SIZE:124\*80\*200MM  
LED Chip:SANAN SMD  
Wattage:9W  
CCT:3000K/4000K/6000K





**ZN-W0486-2**

SIZE:124\*80\*245MM  
LED Chip:SANAN SMD  
Wattage:2\*9W  
CCT:3000K/4000K/6000K




**ZN-W0487-1**

SIZE:100\*158\*170MM  
LED Chip:SANAN SMD  
Wattage:6W  
CCT:3000K/4000K/6000K



**ZN-W0487-2**

SIZE:100\*158\*220MM  
LED Chip:SANAN SMD  
Wattage:2\*6W  
CCT:3000K/4000K/6000K



**3** YEARS  
WARRANTY






OUTDOOR LIGHTING

**ZONN**<sup>®</sup>  
LIGHTING

BEST LIGHTING  
SOLUTIONS



**ZN-W805L**

**ZN-W805S**


SIZE:160\*160MM

100\*100MM

LED Chip:SANAN SMD

Wattage:3W/2W

CCT:3000K/4000K/6000K



**ZN-W804L**


**ZN-W804S**

SIZE:160MM/110MM

LED Chip:SANAN SMD

Wattage:3W/2W

CCT:3000K/4000K/6000K




**ZN-D021**

SIZE:140\*70MM

LED Chip:SANAN SMD

Wattage:3W

CCT:3000K/4000K/6000K



**ZN-D022**

SIZE:90\*90\*70MM

LED Chip:SANAN SMD

Wattage:3W

CCT:3000K/4000K/6000K

**3** YEARS  
WARRANTY



IECEE CB EER/EEL





Address: 60M ST - Setaqan Square - Erbil - Iraq  
Mobile: 0750 911 1777 / 0750 911 1888

Email: [info@zonnlighting.com](mailto:info@zonnlighting.com)  
Website: [www.zonnlighting.com](http://www.zonnlighting.com)